

SUNRISE OUTDOOR LTD 2025

SUNRISE
UMBRELL[®]



SUNRISE OUTDOOR LTD

Rm 427, Tianyihaojing Block A, No.19 Hualou Lane, Ningbo, 315010, China
Tel : +86 (574) 8768 0079

support@ningbo-sunrise.com
patioumbrella007@gmail.com
<https://sunrise-outdoor.com>

About Us

In the year 1993, SUNRISE OUTDOOR ltd started to design and develop garden umbrellas and gazebos for European market.

In the year 1998, we found our own factory in Ningbo, China, It specializes in designing, manufacturing, marketing and selling outdoor products (garden umbrellas, gazebos, green houses). Our factory has 30,000m² workshop and 5,000m² showroom.

In the year 2012, we became a member of the ICFA (International Casual Furnishings Association) in Chicago, USA. And Solar Lighting Cantilever Umbrella got Design Excellence Winner for Shade Products in 2013. We've attended the ICFA Market in Chicago, National Hardware Show, Lawn & Garden World and Housewares Show, and Spoga Fair in Germany.

We supply our products to North America, Europe, Australia, the Middle East and South America, Africa and Asia over 30 countries through offline and on line. They are very satisfied with our quality and after sales service.

Our company has been an active participant of the Business Social Compliance Initiative (BSCI), which supports companies to drive social compliance and improvements within the factories in their global supply chains.

We have full confidence to work with customers closely to provide the customized services of designing, manufacturing to meet our clients' individual needs and expectations, while delivering value for money.

Be partner, grow together!

NINGBO SUNRISE OUTDOOR PRODUCTS LTD

Rm 427, Tianyihaojing Block A, No.19 Hualou Lane, Ningbo, 315010, China
http://sunrise-outdoor.com
Fax : +86 (574) 8732 7989 Tel : +86 (574) 8768 0079
E-mail : support@ningbo-sunrise.com
patioumbrella007@gmail.com



Company Profile

- Business Type**

 - Manufacturer, exporter

Export Percentage

 - 100 percent

Primary Competitive Advantages

 - Experienced R&D Department and workers
 - OEM Capability
 - Production Capacity
 - Reliability
 - Reputation
 - Buyer's Specifications Accepted

QC Responsibility

 - YES

Year Established

 - 1998

Types of Plant & Machinery in Factory

 - Cutting and stripping machines
 - Forging and press equipment
 - Lifting and drawing equipment
 - Electric and fuel power equipment
 - Welding machines
 - Instruments and meters
 - Plastic process equipment
 - Sewing equipment
 - Environment safeguard equipment
 - Powder coating and paint equipment
 - Non-production accessorial equipment
 - Lift forklift
- Current Export Markets**

 - Western Europe
 - North America
 - Australia

Production Type

 - Wholly owned

No. of R&D Staff

 - 20

No. of Engineers

 - 20

Monthly Capacity

 - 20,000sets to 30,000 sets

Product Range

 - Garden umbrellas
 - Gazebos
 - Balcony awnings
 - Canopies and protective covers for outdoor furnitures

Factory Size in Square Meters

 - 30,000m² (300,000 square feet)

Size of showroom

 - 5,000m² (50,000 square feet)



SUNNY OUTDOOR INC.
SUNRISE UMBRELLA INC.
4751 Littlejohn St, # B, Baldwin Park, CA 91706, USA
Tel : +1(626) 338-1217 / +1(626) 337-1717
E-mail : patioumbrella007@gmail.com

Fabrics

1. Sunbrella
American Brand
5 years warranty

2. Strongcamel
Ningbo Sunrise Brand, China
2 years warranty

3. Economic
China Brand
1 year warranty

4. Treatment

5. Care, cleaning & maintenance

Color Fastness to Light (ISO 105 B02:1994/Amd 1:1998 + Amd 2:2000; use Xenon arc lamp)
Grade (Blue Wool Standard): ☐ Grade 5, ☐ Grade 6

Color Fastness to Light (ISO 105 B02:1994/Amd 1:1998 + Amd 2:2000; use Xenon arc lamp)
Grade (Blue Wool Standard): ☐ Grade 3, ☐ Grade 4

• 100% Polyester
• T/C Fabric (65% polyester, 35% cotton)
• 100% cotton
• 100% acrylic
• PE mesh

• Water repellent
• Water resistant
• UV treated
• PVC coating
• PA coating
• PU coating

Fabric should be cared & cleaned regularly before substances such as dirt, roof particles, etc., accumulated on and become embedded in the fabric. The fabric can be cleaned without being removed from the installation. Simply brush off any loose dirt, roof particles, etc.; hose down and clean with a mild solution of natural soap in lukewarm water (no more than 100 degree F.). Rinse thoroughly to remove soap. DO NOT USE DETERGENTS. Air dry is fine.
Please care & clean the fabrics regularly before storing, and covering with a protective umbrella cover is a wise way for longer life of your canopy.
Please close your garden umbrellas or gazebos in strong windy or stormy conditions.

Enjoy The Sun Safely - Textile UV Protection

Ultraviolet Protection Factor (UPF)

The UV protection factor states how long someone wearing UV protective clothing can stay out in the sun without suffering skin damage. The Ultraviolet Protection Factor (UPF) is comparable to the sun protection factor of sunscreen (SPF). In both cases, the basis for calculations is what is known as the intrinsic protection time of the skin, which can vary considerably depending on the individual skin type.

The skin of someone of skin type I with red or blond hair, blue eyes and a very fair complexion has an intrinsic protection time of approximately five to ten minutes. If they are exposed to the burning sun for longer than this without protection, they risk harmful sunburn.

When protected by a textile material with a UPF of 20, for example, this individual can extend how long they are able to stay in the sun by a factor of 20, in other words, up to a maximum of 1.5 to 3 hours (20 x 5 min = 100 min to 20 x 10 min = 200 min), without risking damage to their skin.

TEXTILE UV PROTECTION

Textiles are intrinsically suited for use as UV protection, as they are able to offer particularly good protection against intense radiation from the sun if suitable materials and constructions are used. UV protection factors (UPF) far above those of the strongest sunscreens (sunblocks) can be achieved.

It is not possible to determine how much UV radiation a textile allows to penetrate the skin simply from looking at and feeling the textile and thereby give a UV protection factor comparable to those used for cosmetic sun screens.

UV index	Children's skin	Skin type I	Skin type II	Skin type III	Skin type III
3-4	UPF20	UPF20	UPF15	UPF10	UPF5-10
5-6	UPF20-40	UPF20-40	UPF20-40	UPF20	UPF10
7-8	UPF60-80	UPF60-80	UPF40-60	UPF40	UPF20
9 and above	UPF80	UPF80	UPF60-80	UPF60	UPF40

-Australian-New Zealand standard: (AS/NZS 4399:1996),
-American standard: AATCC 183.
-European standard: UV Standard 801



Manufacturing Center Ningbo China

SELF OPEN

HEAVYDUTY Umbrella

U10-500 ☼ Octagonal 16.4' (5m)

U10-600 ☼ Octagonal 20' (6m)

U10-700 ☼ Octagonal 23' (7m)

U10-303 ☒ Square 10' X 10' (3 x 3m)

U10-404 ☒ Square 13' X 13' (4 x 4m)

U10-505 ☒ Square 16.4' X 16.4' (5 x 5m)

HEAVYDUTY

Octagonal 16.4' (5m)


Canopy UV Protection UPF 50+

U10



- **One Step Open & Close In Two Seconds:** Enjoy the convenience of a hassle-free, one-step operation for quick and easy use.

- **Customization:** From color to size, offering various options for customization.



SUNRISE UMBRELLA®


Self-Open Heavy Duty Umbrella

#1 Durable commercial umbrella brand in the world



● Wind Resistance:

The umbrella pole can telescope-like freely expand and contract, dispersing the pressure of the wind, providing excellent windproof effectiveness.



● Double Rib Support:


Boasting 16 ribs (8 upper, 8 lower), our umbrella surpasses traditional 8-rib designs.

● Waterproof:

Treated with a waterproof coating (300g/m² PVC Coated).

● Heavy Duty:

Crafted from high-quality aluminum, thickened and reinforced for robust durability, ensuring a longer lifespan.



● Stability:

Self weight heavier offers enhanced stability, reducing the risk of the wind blowing it over or causing it to move around unexpectedly.



● Easy to Install:

Its simple design makes it easy to set up.

● Hinge Base:

Securely fixed to the ground, it smoothly elevates the umbrella from flat to vertical, ensuring effortless usability.



Easy to Stand Up




SELF OPEN

HEAVYDUTY Umbrella

U10-500  Octagonal 16.4' (5m)

U10-600  Octagonal 20' (6m)

U10-700  Octagonal 23' (7m)



U10-600

Ø6.0M

≈28.0M²

≈72KG


≈75KG

≈90KM/H

200KG




3 Way to Mount the Base



SUNRISE
UMBRELL



Self-Open Heavy Duty Umbrella our customization options cater to diverse commercial needs, the perfect shading solution for businesses such as hotels, restaurants, and outdoor retail stores. Enhance your guests' outdoor experience with the assurance of comfortable shade.



Self Opening System



Special Features




Optional Features



SELF OPEN

HEAVYDUTY Umbrella

U10-404 ☒ Square 13' X 13' (4 x 4m)
U10-505 ☒ Square 16.4' X 16.4' (5 x 5m)



Self Opening System



U10-505
 □ 5 x 5M
 ≈ 28M²
 ≈ 75KG
 ≈ 78KG
 ☒ 90KM/H
 ☒ 200KG



SELF OPEN

Solar LED Lights

U10-500L ☒ Octagonal 16.4' (5m)
U10-600L ☒ Octagonal 20' (6m)
U10-700L ☒ Octagonal 23' (7m)
U10-303L ☒ Square 10' X 10' (3 x 3m)
U10-404L ☒ Square 13' X 13' (4 x 4m)
U10-505L ☒ Square 16.4' X 16.4' (5 x 5m)



Rechargeable Battery







Self Opening GAZEABELLA



SELF OPEN


HOTELBRELLA Umbrella

- U15-350  Octagonal 11.5' (3.5m)
- U15-303  Square 10' X 10' (3 x 3m)
- U15-400  Octagonal 13' (4m)
- U15-404  Square 13' X 13' (4 x 4m)



- **One Step Open & Close In Two Seconds:**
Enjoy the convenience of a hassle-free, one-step operation for quick and easy use.

- **Customization:**
From color to size, offering various options for customization.




SUNRISE UMBRELLA® Self-Open HotelBrella Umbrella

The best Durable market umbrella brand



● Wind Resistance:

The umbrella pole can telescope-like freely expand and contract, dispersing the pressure of the wind, providing excellent windproof effectiveness.




● Extra Rib Support:

Boasting 12ribs (4 upper, 8 lower), our umbrella surpasses traditional 8-rib designs.

● Waterproof:

Treated with a waterproof coating (300g/m² PVC Coated).

- **Durable:** Crafted from high-quality aluminum, thickened and reinforced for robust durability, ensuring a longer lifespan.



● Stability:

Self weight heavier offers enhanced stability, reducing the risk of the wind blowing it over or causing it to move around unexpectedly.




● Easy to Install:

Its simple design makes it easy to set up.

● Free Sitting:

The telescopic pole rises when the umbrella closes, keeping the canopy high. No need to remove seating or tables, allowing uninterrupted enjoyment around the table.



SELF OPEN


BEACHBRELLA Umbrella

- U11-25 Hexagonal 8' (2.5m)
- U11-27 Hexagonal 9' (2.7m)
- U11-30 Hexagonal 10' (3m)
- U11-2X3 Rectangular 10' x 6.5' (3 x 2m)
- U11-20X Square 6.5' x 6.5' (2 x 2m)
- U11-25X Square 8' x 8' (2.5 x 2.5m)
- U11-27X Square 9' x 9' (2.7 x 2.7m)



● **One Step Open & Close In One Second:** Enjoy the convenience of a hassle-free, one-step operation for quick and easy use.

● **Customization:** From color to size, offering various options for customization.





Self-Open BeachBrella Umbrella

The Best Choice for beach umbrellas




● **Wind Resistance:**
The umbrella pole can telescope-like freely expand and contract, dispersing the pressure of the wind, providing excellent windproof effectiveness.



● **Spin Features:**
Improves umbrella stability, prevents tipping and damage in windy conditions.

● **Durable:** Crafted from high-quality aluminum, thickened and reinforced for robust durability, ensuring a longer lifespan.




● **Waterproof:**
Treated with a waterproof coating (180g/m² PU Coated).

● **Stability:**
Self weight heavier offers enhanced stability, reducing the risk of the wind blowing it over or causing it to move around unexpectedly.



● **Easy to Install:**
Its simple design makes it easy to set up.





● **Free Sitting:**
The telescopic pole rises when the umbrella closes, keeping the canopy high. No need to remove seating or tables, allowing uninterrupted enjoyment around the table.

SELF OPEN


BEACHBRELLA Umbrella

- U11-25** Hexagonal 8' (2.5m)
- U11-27** Hexagonal 9' (2.7m)
- U11-30** Hexagonal 10' (3m)
- U11-2X3** Rectangular 10' x 6.5' (3 x 2m)
- U11-20X** Square 6.5' x 6.5' (2 x 2m)
- U11-25X** Square 8' x 8' (2.5 x 2.5m)
- U11-27X** Square 9' x 9' (2.7 x 2.7m)



SELF OPEN

BEACHBRELLA Umbrella



SELF OPEN

BEACHBRELLA Umbrella

U14-25

Hexagonal 8' (2.5m)

U14-27

Hexagonal 9' (2.7m)

U14-30

Hexagonal 10' (3m)

U14-2X3

Rectangular 10' x 6.5' (3 x 2m)

U14-20X

Square 6.5' x 6.5' (2 x 2m)

U14-25X

Square 8' x 8' (2.5 x 2.5m)

U14-27X

Square 9' x 9' (2.7 x 2.7m)

Fiberglass Rib (Anti-Wind)

U14

BEACHBRELLA

Hexagonal 8' (2.5m)

Wind-Resistant Features

On a yacht during full-speed operation

U14-25

Ø2.5M

≈4.9M²

≈4.5KG

≈5.0KG

≈65KM/H

≈25KG

Special Features

Spin Features

Fiberglass Rib (Anti-Wind)

Solar Panel

Pole Locking Knob

Top Factors to Consider for Your Outdoor Umbrella Purchase

When searching for outdoor umbrellas in the market, there are several key factors to consider, and that's why SUNRISE SELF-OPEN FREE-SITTING UMBRELLA is your best choice:

1. Durability and Reliability :

Constructed with high-strength aluminum alloy and steel materials, SELF-OPEN UMBRELLA uses a cleverly designed frame for extra toughness, making it more durable. This innovation smartly solves the problem of traditional sun umbrellas easily breaking during use.

2. Innovative Self Open Design :

Using an innovative lever mechanism, it's incredibly easy, quick, and safe to operate. It opens in just a second and closes with a single step.

3. Innovative Spin Design, Outstanding Wind Resistance :

We've reinforced critical components of the umbrella frame to withstand strong winds, ensuring it's less susceptible to wind damage.

4. Free Sitting Design :

Introducing the SELF-OPEN FUNCTION, a gentle pull is all it takes for the umbrella to open automatically. Moreover, a simple push closes it instantly, all without coming into contact with tables, chairs, or people beneath it – we call it the "Free-sitting function."

5. Factory Direct Sales and Competitive Pricing :

This guarantees that your investment provides excellent value for money.

6. Extended 3-Year Warranty :

We offer a generous 3-year warranty to ensure your peace of mind.

1. Durability and Reliability :

Constructed with high-strength aluminum alloy and steel materials, SELF-OPEN UMBRELLA uses a cleverly designed frame for extra toughness, making it more durable. This innovation smartly solves the problem of traditional sun umbrellas easily breaking during use.

2. Innovative Self Open Design :

Using an innovative lever mechanism, it's incredibly easy, quick, and safe to operate. It opens in just a second and closes with a single step.

3. Innovative Spin Design, Outstanding Wind Resistance :

We've reinforced critical components of the umbrella frame to withstand strong winds, ensuring it's less susceptible to wind damage.

4. Free Sitting Design :

Introducing the SELF-OPEN FUNCTION, a gentle pull is all it takes for the umbrella to open automatically. Moreover, a simple push closes it instantly, all without coming into contact with tables, chairs, or people beneath it – we call it the "Free-sitting function."

5. Factory Direct Sales and Competitive Pricing :

This guarantees that your investment provides excellent value for money.

6. Extended 3-Year Warranty :

We offer a generous 3-year warranty to ensure your peace of mind.

SUNRISE SELF-OPEN UMBRELLA

COMPARISON

TRADITIONAL UMBRELLA

Aluminum Top Center Hub

Aluminum Center Hub

A Plastic Center Hub

B Pulley Rope

C Tilt

Reinforced Metal Rib Joint

One Step Close Metal Handle

D Rib Joint

Easy To Break

E Plastic Crank Housing

SUNRISE SELF-OPEN UMBRELLA

COMPARISON

TRADITIONAL UMBRELLA

Self Opening System

Free Sitting

Busy Lady

Hand Crank

1 SEC

15 SEC

SUNRISE SELF-OPEN UMBRELLA

COMPARISON

TRADITIONAL UMBRELLA

Self Opening System

Free Sitting

Busy Lady

Hand Crank

1 SEC


15 SEC

Furthermore, we offer customization options to meet your specific needs. Whether for outdoor gatherings, vacation spots, or al fresco dining, SUNRISE SELF-OPEN UMBRELLA provides the ideal shading solution. Enjoy the comfortable outdoor sunshine with confidence.



SELF OPEN

BEACHBRELLA Umbrella









- U13-27**

 Hexagonal 9' (2.7m)
- U13-30**

 Hexagonal 10' (3m)
- TWO TIER CANOPY**



SELF OPEN

BEACHBRELLA Umbrella

- UL12-25**

 Hexagonal 8' (2.5m)
- UL12-27**

 Hexagonal 9' (2.7m)
- UL12-30**

 Hexagonal 10' (3m)
- UL12-2X3**

 Rectangular 10' x 6.5' (3 x 2m)
- UL12-20X**

 Square 6.5' x 6.5' (2 x 2m)
- UL12-25X**

 Square 8' x 8' (2.5 x 2.5m)
- UL12-27X**

 Square 9' x 9' (2.7 x 2.7m)
- 
 SOLAR POWER LIGHTS



EASY ROMA


One Step Cantilever Umbrella

- U9-250X** ☒ Square 8' x 8' (2.5 x 2.5m) **U9-300** ☉ Round 10' (3m)
U9-303 ☒ Square 10' x 10' (3 x 3m) **U9-350** ☉ Round 11.5' (3.5m)




SUNRISE UMBRELL

EASY ROMA Cantilever umbrellas offer a larger shaded area underneath. With Hydraulic Gas Spring, Anti-sway design. The anti-wind technology prevents it from swaying or being easily affected by gusts.



Self Open & Easy to Close



U9-303
 □ 3 x 3M
 ≈ 9.0M²
 ≈ 24.5KG
 ≈ 27.5KG
 ≈ 60KM/H
 ≈ 200KG

Optional Features



U9-303L




Center Lights




Power Switch


Special Features



Aluminium Pole




360° Pedal Rotation



Hydraulic Gas Spring



U9-350L




Self Open & Easy to Close




U9-300
 Ø 3.0M
 ≈ 7.06M²
 ≈ 22.8KG
 ≈ 25.8KG
 ≈ 60KM/H
 ≈ 200KG

Optional Features



Fan Shaped Base



360° Crank Rotation




Anti Sway



SPRING ROMA Cantilever Umbrella

- U7-250XL ☒ Square 8' x 8' (2.5 x 2.5m)
- U7-270XL ☒ Square 9' x 9' (2.7 x 2.7m)
- U7-303L ☒ Square 10' x 10' (3 x 3m)
- U7-203L ☒ Rectangular 10' x 6.5' (3 x 2m)
- U7-300L ☒ Round 10' (3m)
- U7-304L ☒ Rectangular 13' x 10' (4 x 3m)
- U7-350L ☒ Round 11.5' (3.5m)



U7-303L
□ 3 x 3M
≈ 9M²
≈ 24.5KG
≈ 27KG
≈ 60KM/H
≈ 200KG

**Easy
Open & Close**



Special Features



360° Rotation

4.33" x 3.1"
(11cm x 7.8cm)
Super Strong Durable





Aluminium Pole



SUNRISE UMBRELL


SPRING ROMA Cantilever umbrellas offer a larger shaded area underneath. With Hydraulic Gas Spring, Anti-sway design. The anti-wind technology prevents it from swaying or being easily affected by gusts.



U7-303
□ 3 x 3M
≈ 9M²
≈ 24.5KG
≈ 27KG
≈ 60KM/H
≈ 200KG



Special Features




Hydraulic Gas Spring

Optional Features



Rolling Base



Rolling Base



AUTO ROMA

Automatic Cantilever Umbrella




U6

- U6-250XLA ☒ Square 8' x 8' (2.5 x 2.5m)
- U6-203LA ☒ Rectangular 6.5' x 10' (2 x 3m)
- U6-300LA ☒ Round 10' (3m)
- U6-303LA ☒ Square 10' x 10' (3 x 3m)
- U6-304LA ☒ Rectangular 10' x 13' (3 x 4m)
- U6-350LA ☒ Round 11.5' (3.5m)






U6-303LA
 □ 3 x 3M
 ≈ 9M²
 ≈ 45KG
 ≈ 48KG
 ≈ 60KM/H
 ≈ 200KG



Free Sitting

No need to remove seating or tables beforehand

Special Features




X-ROMA

Cantilever Umbrella

- U6-250X ☒ Square 8' x 8' (2.5 x 2.5m)
- U6-203 ☒ Rectangular 6.5' x 10' (2 x 3m)
- U6-300 ☒ Round 10' (3m)
- U6-303 ☒ Square 10' x 10' (3 x 3m)
- U6-304 ☒ Rectangular 10' x 13' (3 x 4m)
- U6-350 ☒ Round 11.5' (3.5m)



U6





U6-303
 □ 3 x 3M
 ≈ 9.0M²
 ≈ 44KG
 ≈ 47KG
 ≈ 60KM/H
 ≈ 200KG



Crank Open & Close One Step




Optional Features




BIG ROMA

Cantilever Umbrella

- U210-303** ☒ Square 10' x 10' (3 x 3m)
- U210-350X** ☒ Square 11.5' x 11.5' (3.5 x 3.5m)
- U210-304** ☒ Rectangular 13' x 10' (4 x 3m)
- U210-350** ☒ Octagonal 11.5' (3.5m)
- U210-400** ☒ Octagonal 13' (4m)



Optional Features





SUNRISE UMBRELL

BIG ROMA Cantilever umbrellas offer a larger shaded area underneath due to unique side pole design. The adjustable angles, easy rotation, and tilting mechanisms enhance flexibility, allowing for customized shade coverage based on the sun's position and your preferences.





Special Features




DELUXE ROM

Cantilever Umbrella

- U125-303**  Square 10' x 10' (3 x 3m)
- U125-350**  Octagonal 11.5' (3.5m)








Special Features



BEACH

Umbrella

- U105-200**  Octagonal 6.5' (2m)
- U105-220**  Octagonal 7.2' (2.2m)
- U105-250**  Octagonal 8' (2.5m)
- U105-280**  Octagonal 9.2' (2.8m)
- U105-300**  Octagonal 10' (3m)



Sandy Beach Essentials

Unwind under the shade of our beach umbrellas designed for sandy getaways. Strong, stylish, and ready for the sun!




Stylish Shades, Strong Statements

Make a statement with our vibrant beach umbrellas available in a spectrum of colors. Perfect for adding a touch of style to any setting.



We offer various customization options to meet your specific needs



HOTELBRELLA / FIBREGLOSS

Commercial / Residential



PATIOBRELLA

Residential



HOTELBRELLA Heavy-duty

U024-2-300 ☉ Octagonal 10' (3m) U161-202 ☉ Square 6.5' x 6.5' (2 x 2m)
 U024-2-350 ☉ Octagonal 11.5' (3.5m) U161-303 ☉ Square 10' x 10' (3 x 3m)
 U161-304 ☉ Rectangular 10' x 13' (3 x 4m)

Canopy UV Protection UPF 50+

Special Features: 10' x 28mm 0.7" x 1.1" Aluminium Frame

Optional Features: UB072 Rolling Base, UB080 Sand/Water Weight Base

Dimensions: 10' (300cm) x 28mm (1.1")

HOTELBRELLA Heavy-duty

U050-230 ☉ Octagonal 7.6' (2.3m) U050-270 ☉ Octagonal 9' (2.7m)
 U050-250 ☉ Octagonal 8' (2.5m) U050-300 ☉ Octagonal 10' (3m)

Canopy UV Protection UPF 50+

Resin Base: 30lbs (14kgs) UB061-14, 66lbs (30kgs) UB061-30 With 2 Tubes

Optional Features: UB080 Sand/Water Weight Base

Special Features: 15' x 25mm 0.6" x 1" Aluminium Frame

PULLEY UMBRELLA

U276-200 ☉ Hexagonal 6.5' (2m) U276-270 ☉ Octagonal 9' (2.7m)
 U276-230 ☉ Hexagonal 7.5' (2.3m) U276-300 ☉ Octagonal 10' (3m)
 U276-250 ☉ Hexagonal 8' (2.5m)

Air Vent, Rope Pulley System, Locking Pin

SHAPE & SIZE: U276-200 (6 Ribs), U276-230 (6 Ribs), U276-250 (6 Ribs), U276-270 (6 Ribs), U276-300 (6 Ribs)

PULLEY UMBRELLA

U276-200X ☉ Square 6.5' x 6.5' (2 x 2m)
 U276-203 ☉ Rectangular 10' x 6.5' (3 x 2m)

SHAPE & SIZE: U276-200X (4 Ribs), U276-203 (4 Ribs)

Special Features: Final Ball, Frame, Reinforced Rib Joint, Locking Ball

UV Protection, Water Repellent

FIBREGLOSS Garden Umbrella

U040-230 ☉ Octagonal 7.6' (2.3m) U040-270 ☉ Octagonal 9' (2.7m)
 U040-250 ☉ Octagonal 8' (2.5m) U040-300 ☉ Octagonal 10' (3m)

Canopy UV Protection UPF 50+

Fibreglass Ribs: Dia 15mm (0.6")

Optional Features: UB084 Water/Sand Base

Special Features: Hand Crank, 4 Times STRONGER! Highly Durable Material

FIBREGLOSS Garden Umbrella

U042-250 ☉ Round 8' (2.5m) U042-270 ☉ Round 9' (2.7m)
 U042-300 ☉ Round 10' (3m)

Canopy UV Protection UPF 50+

Fibreglass Ribs: Dia 8.5mm (16 ribs), Dia 6mm (24 ribs)

Optional Features: Push Tilt, Auto Tilt

NEW BANANA Hanging Umbrella

U007-270 ☉ Octagonal 9' (2.7m) U007-203 ☉ Rectangular 10' x 6.5' (3 x 2m)
 U007-300 ☉ Octagonal 10' (3m) U007-7-270 ☉ Octagonal 9' (2.7m)
 U007-250X ☉ Square 8' x 8' (2.5 x 2.5m) U007-7-300 ☉ Octagonal 10' (3m)

Canopy UV Protection UPF 50+

Fibreglass Ribs

Optional Features: U007-250X

HALF UMBRELLA

U241-270 ☉ Half Octagonal 9' (2.7m)
 U071-2512 ☉ Half Rectangular 8.2' x 4' (2.5 x 1.2m)

Canopy UV Protection UPF 50+

Optional Features: UB039 Half Base



SOLARBRELLA U021-270

Octagonal 9' (2.7m)



SOLARBRELLA U074-203

Rectangular 10' x 6.5' (3 x 2m)



UB046

Sand/Water Weight Base




UB063

Rolling Base



UB071

Rolling Heavy Duty Umbrella Base



UB072

Resin Rolling Base



UB084

Water Base



UB088

Square Water Or Sand Filled Umbrella Base



UB073

Granite Weight



CRANK & Tilt Umbrella



CALIFORNIA Umbrella



PROTECTIVE COVER

Polyester

UC-05



- Fits up to 10'-13' roma cantilever umbrella
- Comes with fiberglass poles, convenient to lift the umbrella cover up or off
- Size : 95"L x 24"/20"W (L 240cm, Width: 60/50 cm)



PC-03



- For U6-303LA Automatic Cantilever Umbrella
- Comes with fiberglass poles, convenient to lift the umbrella cover up or off
- Heavy duty UV treated, protect from sun damage

PC-04



- For U10-404, U10-500 Heavy-duty Umbrella
- Comes with fiberglass poles, convenient to lift the umbrella cover up or off
- Heavy duty UV treated, protect from sun damage
- Size : 10.2'L x 2.3'W (312cm X 70cm)

PC-05



- For U10-505, U10-600, U10-700 Heavy-duty Umbrella
- Comes with fiberglass poles, convenient to lift the umbrella cover up or off
- Heavy duty UV treated, protect from sun damage
- Size : 13.2'L x 2.3'W (402cm X 70cm)

FABRICS

sunbrella Color **UPF 50+** 100% sunbrella acryl 270g/m2



Polyester Color **UPF 50+** 100% polyester




Special Features




MOTORIZED

Retractable Awning



Special Features



RETRACTABLE AWNING

Customized Size: (8'x6.5') (10'x8') (12'x10') (13'x10') (16'x10') (20'x10')



- Remote-controlled Or Manual
- Ceiling Or Wall Mounting
- UV Protection 50+
- Tailored Solutions
- Wide Range Of Colors And Fabrics
- Easy To Assemble

